


10/518297

WO 2004/002495

PCT/FI2003/000528

1/9

Fig. 1




10/518297

WO 2004/002495

PCT/FI2003/000528

2/9



10/518297


WO 2004/002495

PCT/FI2003/000528

3/9

Fig. 3

A. EPEC 44



B. EPEC 44 + globotetraose
(1.5 mM) + 3'sialyllactose
(1.5 mM)





Fig. 3C



10/518297


WO 2004/002495

PCT/FI2003/000528

5/9

Fig. 4


A. Chemical detection



B. *H. pylori* 17875




C. *H. pylori* 17874



D. *H. felis* 28539




E. *H. bilis* 38995B



F. *H. hepaticus* 33637




G. *H. canis*



H. *H. mustelae* 23951



I. *H. mustelae* 25715



1 2 3 4 5 6 7 8

1 2 3 4 5 6 7 8


10/518297

WO 2004/002495

PCT/FI2003/000528

6/9

Fig. 5




10/518297

WO 2004/002495

PCT/FI2003/000528

7/9

Fig. 5C



10/518297

WO 2004/002495

PCT/FI2003/000528

8/9

EHEC W135A



1 2 3 4 5 6 7 8 9

Fig. 6

10/518297


WO 2004/002495

PCT/FI2003/000528

9/9

Fig. 7

A. CCUG 38092



B. CCUG 38092



1 2 3 4 5 6 1 2 3 4 5 6